

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

* * * * *

In the Matter of:

THE APPLICATION OF THE MAYO VILLAGE)
WATER COMPANY, INC., REQUESTING A)
DEVIATION FROM THE REQUIREMENTS OF) CASE NO. 9396
807 KAR 5:066(5)(4) AND 807 KAR)
5:066(6))

O R D E R

On August 5, 1985, the Commission established Case No. 9396 to consider a request by Mayo Village Water Company, Inc. ("Mayo Village") to deviate from the requirements of 807 KAR 5:066(5)(4) and 807 KAR 5:066(6).

On October 15, 1985, the Commission entered an Order requesting additional information due November 27, 1985. On January 16, 1986, the Commission sent a reminder letter giving 10 extra days to furnish the requested information. To date we have received no response.

The Commission, having considered the matter and being advised, is of the opinion and finds that this case should be dismissed because Mayo Village has failed to respond to Commission interrogatories.

IT IS THEREFORE ORDERED that Mayo Village be and it hereby is admonished for its failure to respond to the requested information in a timely and businesslike manner.

IT IS FURTHER ORDERED that Case No. 9396 be and it hereby is dismissed without prejudice.

Done at Frankfort, Kentucky, this 24th day of February, 1986.

PUBLIC SERVICE COMMISSION

Richard D. Hemmick
Chairman

Robert L. [unclear]
Vice Chairman

Samuel D. Williams
Commissioner

ATTEST:

Secretary